

TECHNICAL SPECIFICATION

HEAD PROTECTION

EVOLite® Mid Peak Revolution® Wheel Ratchet Non Vented

White / AJA170-000-100



DESCRIPTION

The EVOLite® is a breakthrough product enabling Health and Safety Officers to achieve new levels of compliance due to its unrivalled comfort. It is lightweight, extremely comfortable and fits the widest range of head shapes and sizes. The harness and shell are truly integrated as one to give the best performance by keeping it firmly rooted on the head, even when fully inverted. Gives added security and protection when working at height, in high winds, or when there is a high degree of activity, such as during motorway maintenance.

OPTIONS

White (AJA170-000-100)
Blue (AJA170-000-500)
Black (AJA170-001-100)
Orange (AJA170-000-800)
Green (AJA170-000-300)
Hi-vis Yellow (AJA170-00C-700)
Red (AJA170-000-600)
Yellow (AJA170-000-200)

SAFETY STANDARDS

EN 397 • EN 50365

























*VEILIGHEIDSTECHNIEK
NEDERLAND

Veiligheidstechniek Nederland BV
IJzerweg 67
5342 LX Oss

T. +31(0)412 – 69 55 55
E. info@vtn.nl

SPECIFICATIONS

	Peak Mid		Impact Resistance 50 Joules
	Electrical Insulation 1000V		Lateral Deformation Yes
	Molten Metal Yes		Maximum Temperature +50°C
	Minimum Temperature -40°C		ABS Shell Yes
	Recyclable Shell		Textile Harness
	Depth Adjustment 3D Harness		Wheel Ratchet Yes
	Universal Accessories Slot Yes		Ventilation No
	Reflective Option Optional		Integrated Eyewear Optional
	ID card holder Optional		BSI Kitemark Yes
	Optional 2 point chinstrap (EN397 & EN 812 compliant) Optional		Optional 4 point chinstrap (EN397 Compliant) Optional
	JSPCheck Yes		Product Weight 328g

FEATURES



Supreme Comfort

A 6-point terylene cradle harness system & Egyptian cotton Chamlon™ sweatband offers unrivalled comfort.



Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. Available with either the Revolution® wheel ratchet or the OneTouch™ slip ratchet.



Accessories

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors, and ear defenders. EVOSpec® Integrated eyewear is also available.



3D Adjustment

The textile harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



CR2™ Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility / reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.

APPLICATIONS

Aerospace

Agricultural

Airports

Construction and Infrastructure



*VEILIGHEIDSTECHNIEK
NEDERLAND

Veiligheidstechniek Nederland BV
IJzerweg 67
5342 LX Oss

T. +31(0)412 – 69 55 55
E. info@vtn.nl

Facilities Management	Law Enforcement
Manufacturing	Maritime
Mining, Aggregates and Quarrying	Oil, Gas and Chemical Companies
Rail and Tunnelling	Renewable, Wind and Solar Energy
Sole Trader	Utilities Contractors
Welding	

ACCESSORIES

Cold Weather Helmet Comforter	Cooling Sweatbands for EVO® L/2/3/5/6 (Pack of 2)
CR2 Reflective Kit for EVOLite® Pack of 10	EVO® Neck Cape
EVOGuard®C1 Industrial Visor	EVOGuard®C2 Industrial Visor
EVOGuard®C4-MAX Industrial Visor	EVOGuard®C5-MAX Industrial Visor
EVOspec® Safety Eyewear	Sonis® Compact Helmet Mounted Ear Defenders
Sonis® Compact Hygiene Kit	Sonis®1 Helmet Mounted Ear Defenders
Sonis®1 Hygiene Kit	Sonis®3 Helmet Mounted Ear Defenders
Sonis®3 Hygiene Kit	Surefit™ Thermal Safety Helmet Liner
Thermal Head Warmer GO/RT	

COMPATIBLE PRODUCTS

EVO® Gas Goggle	EVO® Goggle Double Lens
EVO® Goggle Single Lens	EVOGuard®C1 Industrial Visor
EVOGuard®C2 Industrial Visor	EVOGuard®C4-MAX Industrial Visor
EVOGuard®C5-MAX Industrial Visor	Flexinet® Mask FFP2 (821)
Flexinet® Mask FFP2OV (823)	Flexinet® Mask FFP2V (822)
Flexinet® Mask FFP3 Valved (832)	SpringFit™ Disposable Dust Mask 421ML FFP2
SpringFit™ Disposable Dust Mask 425ML FFP2 with Typhoon™ Valve	SpringFit™ Disposable Dust Mask 431ML FFP3
SpringFit™ Disposable Dust Mask 435ML FFP3 with Typhoon™ Valve	SpringFit™ Disposable Dust Mask 436ML FFP3 with Typhoon™ Valve and Nuisance Carbon Layer
Sonis® Compact Helmet Mounted Ear Defenders	Sonis®1 Helmet Mounted Ear Defenders
Sonis®3 Helmet Mounted Ear Defenders	Stealth™ 16G
Stealth™ 7000	Stealth™ 8000
Stealth™ 9000	Stealth™ Coverlite™ Overspec
Thermex™ Double Lens Goggle	Typhoon™ Moulded Mask FFP2 Valved (725)
Typhoon™ Moulded Mask FFP2OV (726)	Typhoon™ Moulded Mask FFP3 Valved (735)

LOGO

- ☒ Front
- ☒ Back
- ☒ Sides

RANGE



*VEILIGHEIDSTECHNIEK
NEDERLAND

Veiligheidstechniek Nederland BV
IJzerweg 67
5342 LX Oss

T. +31(0)412 – 69 55 55
E. info@vtn.nl

VIDEOS

- ▶ www.youtube.com/watch?v=r9zutN49DO15
- ▶ www.youtube.com/watch?v=LdxMNctXLbg
- ▶ www.youtube.com/watch?v=4iv_k1SEs4g
- ▶ www.youtube.com/watch?v=WXD2v6an1as&t

DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [Declaration of Conformity \(PDF\)](#)



*VEILIGHEIDSTECHNIEK
NEDERLAND

Veiligheidstechniek Nederland BV
IJzerweg 67
5342 LX Oss

T. +31(0)412 – 69 55 55
E. info@vtn.nl